

against 131 attacks with 26 deaths reported during the corresponding week of the last year. As a preventive measure 9329 anti-cholera inoculations have been done.

4 K. F. Diseases.

A total of 3 attacks with nil deaths from K. F. Disease was reported from Shimoga District, as against 7 attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) Yellow fever, Relapsing fever Infectious Hepatitis and Influenza.

The State remained free from Yellow Fever, Relapsing Fever, and Influenza in epidemic form as against nil attacks with nil deaths during the corresponding week of the previous year.

(b) One case with nil deaths from infectious hepatitis has been reported from the Combined Dispensary T. Narasipur during the week under report as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(c) Dengue and Haemorrhagic fever.

The State remained free from Dengue and Haemorrhagic Fever during the week as in the corresponding week of the last year.

6 City and Corporation.

The total mortality for Bangalore City Corporation amounted to 210 (97 in hospitals) for the week as against 268 (94 in hospitals) during the corresponding week of the previous year giving a calculated death rate of 10.7 (5.8 excluding hospital deaths) per mille of population (mid-year estimated) as against 13.7 (8.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 14 were due to dysentery and diarrhoea 5 due to consumption and 191 due to all other causes, as against 2 due to other fevers 33 due to dysentery and diarrhoea 12 due to consumption and 221 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 45 (8 in hospitals) for the week as against 95 (39 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.0 (7.4 excluding hospital deaths) per mille of population (mid-year estimated) as against 19.0 (11.2 excluding hospital deaths) for the as corresponding week of the last year. Classified according to causes of deaths, one was due to cholera one due to typhoid 12 due to other fevers, one due to dysentery and diarrhoea and 30 due to all other causes, as against 11 were due to other fevers, 4 due to dysentery and diarrhoea 13 due to consumption and 67 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Belgaum City amounted to 22 (4 in hospitals) for the week as against 28 (17 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.4 (6.1 excluding hospital deaths) per mille of population (mid-year estimated) as against 9.4 (3.7 excluding hospital deaths) for the corresponding week of the past year. Classified according to causes of deaths, one was due to typhoid one due to dysentery and diarrhoea and 20 due to all other causes, as against 2 were due to other fevers, one due to consumption 25 due to all other cause reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 13 (12 in hospitals) for the week as against 45 (37 in hospitals) during the corresponding week of the previous

year, giving a calculated death rate of 4.0 (0.3 excluding hospital deaths) per mille of population (mid-year estimated) as against 14.0 (2.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, one was due to typhoid one due to other fevers, and 11 due to all other causes, as against one was due to dysentery and diarrhoea 3 due to consumption and 41 due to all other causes reported during the corresponding week of the previous year.

The report of K.G.F. City has not been received.

.....

For Director of Health and

F.P. Services.

50

Dated 16th June 1969.

Note on the State of Public Health in Mysore State week ending Saturday 24th May 1969.

1 plague.—

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1967 and 1968 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 Smallpox.—

A total of 3 attacks with 3 deaths from smallpox was reported from the entire State, viz from the taluks of Shahapur and Bagalkote as against 5 attacks with 2 deaths reported during the corresponding week of the previous year. As a preventive measure 6707 vaccinations have been done.

3 Cholera.—

A total of 62 attacks with 8 deaths from Cholera was reported for the entire State viz, from the taluks of Nalmangala, Hangund, Bangalore North and Bangalore South during the week as against 90 attacks with 14 deaths reported during the corresponding week of the last year. As a preventive measure 3030 anti-cholera inoculations have been done.

4 K. F. Diseases.—

A total of 8 attacks with nil deaths from K. F. Diseases reported from Shimoga District as against 9 attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) Yellow Fever Relapsing Fever Infectious Hepatitis and Influenza.

The State remained free from Yellow Fever, relapsing fever, influenza in epidemic form as against nil attacks with nil deaths during the corresponding week of the previous year.

(b) Three cases with nil deaths from infectious hepatitis have been reported from Military Hospital, Bangalore during the week under report as against 4 attacks with nil deaths reported during the corresponding week of the previous year.

(c) Dengue and Haemorrhagic Fever.—

The State remained free from Dengue and Haemorrhagic Fever during the week as in the corresponding week of the last year.

6 City and Corporation.—

The total mortality for Bangalore City Corporation amounted to 280 (134 in Hospitals) for the week as against 281 (114 in hospitals, during the corresponding week of the previous year giving a calculated death rate of 14.1 (7.3 excluding hospital deaths) per mile of population (mid-year estimated) as against 14.4 (8.6 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of death 19 were due to dysentery and diarrhoea 10 due to consumption and 251 due to all other causes, as against 43 were due to dysentery and diarrhoea 23 due to consumption 215 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 109 (97 in Hospitals) for the week as against 54 (26 hospitals) during the corresponding week of the previous year, giving a calculated death rate of 21.6 (2.3 excluding hospital deaths) per mile of population (mid-year estimated) as against 10.8 (5.6 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 6 were due to other fevers, and 103 due to all other causes as against 4 were due to other fevers, 2 due to dysentery and diarrhoea and 48 due to all other causes reported during the corresponding week of the previous year.

The report of the Belgaum City has not been received. The total mortality of Mangalore City amounted to 1 to 24 (18 in hospitals) for the week as against 36 (25 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.3 (1.8 excluding hospital deaths) per mile population (mid-year estimated) as against 11.5 (3.4 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 4 were due to consumption and 20 due to all other causes as against one due to typhoid 3 due to consumption and 32 due to all other causes reported during the corresponding week of the previous year.

The total mortality for K. G. F. City amounted to 18 (18 in hospitals) for the week as against 37 (37 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.7 (nil excluding hospital deaths) per mile estimated as against 11.9 (nil excluding hospital deaths) for the corresponding week of last year. Classified according to causes, of deaths, 2 were due to other fevers 2 due to dysentery and diarrhoea and 14 due to all other causes as against 2 due to dysentery and diarrhoea 35 due to all other causes reported during the corresponding week of the previous year.

46

For Director.

Dated 17th June 1969.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 3RD MAY 1969.

1 Plague.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1967 and 1968 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 Smallpox :

A total of 6 attacks with 2 deaths from smallpox was reported from the entire State, viz from taluks of Bagal-

kot, Honagal and Hirikerur as against 25 attacks with 3 deaths reported during the corresponding week of the previous year. As a preventive measure 6892 vaccinations have been done.

3 Cholera :

A total of 14 attacks with 4 deaths from Cholera was reported for the entire State viz, from the taluks of Tumkur, Pandavapura and from the city of Davangere during the week as against 385 attacks with 64 deaths reported during the corresponding week of the last year. As a preventive measure 3285 anti-cholera inoculations have been done.

4 K. F. Diseases :

A total of 8 attacks with one death from K. F. Disease was reported from Shimoga District, as against 12 attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) Yellow Fever, Relapsing Fever, Infectious Hepatitis And Influenza :

The State remained free from Yellow Fever, relapsing fever, and Influenza in epidemic form as against nil attacks with nil deaths during the corresponding week of the previous year.

(b) 3 cases with nil deaths from infectious hepatitis have been reported from Military Hospital, Bangalore and K.M.C. Hospital Hubli, during the week under report as against one attack with nil deaths reported during the corresponding week of the previous year.

(c) Dengue and Haemorrhagic Fever :

The State remained free from Dengue and Haemorrhagic Fever during the week as in the corresponding week of the last year.

6 City and Corporation :

The total mortality for Bangalore City Corporation amounted to 291 (129 in hospitals) for the week as against 249 (101 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.9 (8.3 excluding hospital deaths) per mile of population (Mid-year estimated) as against 12.8 (7.6 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 17 were due to dysentery and diarrhoea 7 due to consumption and 267 due to all other causes, as against 19 due to dysentery and diarrhoea 5 due to consumption and 225 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 73 (49 in hospitals) for the week as against 92 (32 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.6 (4.8 excluding hospital deaths) per mile of population (mid-year estimated) as against 18.4 (12.0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 17 were due to other fevers, one due to dysentery and diarrhoea and 55 due to all other causes as against 20 due to other fever, 11 due to dysentery and diarrhoea one due to consumption and two due to all other causes reported during the corresponding week of the previous year.

The total mortality of Belgaum City amounted to 22 (8 in hospitals for the week as against 24 (10 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.4 (2.7 including hospital deaths) per mile, of population (mid-year estimated) as